

Customer:

PLASTEEL-PLASALU EU-Roller Jobcard

The best choice

- for conveyor applications
- for mining industry

Manual filling version.

Please download from browser and send it on email

Job number (ID):

(from factory)

Delivery options:				Date:				
Packaging options:				Measure:				
Sample request?				3D request? - file type:				
Quantity:				Product code:	(from fac	ctory)		
Calculated weight per piece:	(from factory)			Request type:				
Calculated price per piece:	(from factory)			Notes:				
Sealing options:						Roller diameter "D"		
Surface options:		L	<u> </u>	SL GL	R	Shaft diameter "d"		
Bearing options:		<u> </u>	•	FL		Roller length "FL"		
Bearing type:	(from factory)					Shaft full length "SL"		
Bearing custom:				,	-	Gauge length "GL"		
Shaft material:								
Shaft end option ("L=R" shaft ends designs and datas are the same, "L<>R"= different shaft ends): L=R L<>R								
Shaft end design images and codes: More info link:								
OE Flatted open end factory default Flatted closed end factory default	Round Drilled factory default	GAR Drilled-flat	GAROE ded open Adapter med	ASHEX APOE Adapter plastic	Threaded in	THI THO	VE	
Design (L):			Design (R):				
Shaft "NS" - L:	Shaft "HEX" - L:		Shaft "NS	S" - R:	Shaft "HE	K" - R:	This sheet is made i	
Shaft "AF" - L:	Shaft "DA" - L:		Shaft "AF	" - R:	Shaft "DA"	' - R:	align to print area op to a different size (be	environmentally
Shaft "NE" - L:	Shaft "TD" - L:		Shaft "NE	E" - R:	Shaft "TD"	- R:	conscious and don't Send it on email if yo	
Shaft "H" - L:	Shaft "TS" - L:		Shaft "H"	- R:	Shaft "TS"	- R:	[
Shaft "HS" - L:	Shaft "T" - L:		Shaft "HS	8" - R:	Shaft "T" -	R:	<u> </u>	- 1
Shaft "AS" - L:			Shaft "AS	S" - R:				